

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,680	12/17/2001	Patrick Baudisch	D/A1188Q1	5074

7590 08/13/2004

Patent Documentation Center
Xerox Corporation
Xerox Square 20th Floor
100 Clinton Ave. S.
Rochester, NY 14644

EXAMINER

ROSWELL, MICHAEL

ART UNIT PAPER NUMBER

2173

DATE MAILED: 08/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/015,680

Applicant(s)

BAUDISCH ET AL.

Examiner

Michael Roswell

Art Unit

2173

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 September 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 June 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 20020920.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 2 recites the limitations "the first image" and "the second image" in lines 1 and 2 of the claim. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Hogle, IV (US Patent 5,923,307), hereinafter Hogle.

Regarding claim 1, Hogle teaches an application providing image information data for an image (taught as the use of applications to provide information for display on a computer system, at col. 5, lines 53-56), an image replicator so arranged and constructed to receive the image information data for the application and to replicate the image information to provide image information data associated with each display area (taught as the use of a graphic device interface, or "GDI", for drawing graphics on the screen of a monitor, at col. 7, lines 26-28), and a viewer associated with each display area, so constructed and arranged to received the image

information data from the image replicator, which receives the associated image information data associated with each display area wherein at least one viewer transforms the associated image information data such that when images are displayed on each display area from the associated image information data the resulting image on at least two display areas appears substantially continuous to a viewer situated to view the image (taught as the use of a display drivers on a monitor for displaying information, at col. 9, lines 43-45).

Regarding claim 2, Hogle teaches a first viewer transforms a first image information data and a second viewer transforms a second image information data, taught inherently as the display of information by the device drivers of col. 9, lines 43-45.

Regarding claim 3, Hogle teaches at col. 9, lines 50-54 a forking display driver which splits a graphics stream into "parts equal to the number of monitors being used", which encompasses the claimed three viewers.

Regarding claim 4, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is scaled in size, taught as the resizing of windows or other display regions in response to a display geometry change, at col. 10, lines 30-35.

Regarding claim 5, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is clipped, taught inherently

as the display of one window between two monitors in Fig. 16a, where the window is clipped at the edge of the monitor so as to keep a continuous image appearance.

Regarding claim 6, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is translated, taught as the ability of the user to move objects around the virtual desktop space, at col. 1, lines 62-67.

Regarding claim 7, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image has modified colors, taught as the conversion of an image color to match the limitations of an adaptor or monitor, at col. 7, lines 58-63.

Regarding claim 8, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is rotated, taught as the contiguous display of an image on a first monitor in a rotated or inverted relationship with a second monitor, at Appendix A, col. 18.

Regarding claim 9, Hogle teaches receiving user input data before the step of providing image information data wherein the user input data is used to provide the image information data, taught as the ability of the user to move objects around the virtual desktop space, at col. 1, lines 62-67.

Regarding claim 10, Hogle teaches sending the image information data to the associated display area, taught inherently as the display of an image on a monitor, at col. 1, lines 62-67.

Regarding claim 11, Hogle teaches an application providing image information data for an image (taught as the use of applications to provide information for display on a computer system, at col. 5, lines 53-56), an image replicator so arranged and constructed to receive the image information data for the application and to replicate the image information to provide image information data associated with each display area (taught as the use of a graphic device interface, or "GDI", for drawing graphics on the screen of a monitor, at col. 7, lines 26-28), and first and second viewers associated with each display area, so constructed and arranged to received the image information data from the image replicator, which receives the associated image information data associated with each display area wherein at least one viewer transforms the associated image information data such that when images are displayed on each display area from the associated image information data the resulting image on at least two display areas appears substantially continuous to a viewer situated to view the image (taught as the use of a display drivers on a monitor for displaying information, at col. 9, lines 43-45).

Regarding claim 12, Hogle teaches a first viewer transforms a first image information data and a second viewer transforms a second image information data, taught inherently as the display of information by the device drivers of col. 9, lines 43-45.

Regarding claim 13, Hogle teaches at col. 9, lines 50-54 a forking display driver which splits a graphics stream into "parts equal to the number of monitors being used", which encompasses the claimed three viewers.

Regarding claim 14, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is scaled in size, taught as the resizing of windows or other display regions in response to a display geometry change, at col. 10, lines 30-35.

Regarding claim 15, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is clipped, taught inherently as the display of one window between two monitors in Fig. 16a, where the window is clipped at the edge of the monitor so as to keep a continuous image appearance.

Regarding claim 16, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is translated, taught as the ability of the user to move objects around the virtual desktop space, at col. 1, lines 62-67.

Regarding claim 17, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image has modified colors, taught

as the conversion of an image color to match the limitations of an adaptor or monitor, at col. 7, lines 58-63.

Regarding claim 18, Hogle teaches transforming at least one of the associated image information data comprising transforming the image information data such that when an image is displayed from the image information data, the displayed image is rotated, taught as the contiguous display of an image on a first monitor in a rotated or inverted relationship with a second monitor, at Appendix A, col. 18.

Regarding claim 19, Hogle teaches receiving user input data before the step of providing image information data wherein the user input data is used to provide the image information data, taught as the ability of the user to move objects around the virtual desktop space, at col. 1, lines 62-67.

Regarding claim 20, Hogle teaches sending the image information data to the associated display area, taught inherently as the display of an image on a monitor, at col. 1, lines 62-67.

Regarding claim 21, Hogle teaches receiving user input data before the step of providing image information data wherein the user input data is used to provide the image information data, taught as the ability of the user to move objects around the virtual desktop space, at col. 1, lines 62-67. Furthermore, Hogle teaches an application providing image information data for an image (taught as the use of applications to provide information for display on a computer system, at col. 5, lines 53-56), an image replicator so arranged and constructed to receive the

image information data for the application and to replicate the image information to provide image information data associated with each display area (taught as the use of a graphic device interface, or "GDI", for drawing graphics on the screen of a monitor, at col. 7, lines 26-28), and first and second viewers associated with each display area, so constructed and arranged to received the image information data from the image replicator, which receives the associated image information data associated with each display area wherein at least one viewer transforms the associated image information data such that when images are displayed on each display area from the associated image information data the resulting image on at least two display areas appears substantially continuous to a viewer situated to view the image (taught as the use of a display drivers on a monitor for displaying information, at col. 9, lines 43-45). Hogle also teaches a first viewer transforms a first image information data and a second viewer transforms a second image information data, taught inherently as the display of information by the device drivers of col. 9, lines 43-45.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art pertains to multiple monitor systems similar to those of the claimed invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Roswell whose telephone number is (703) 305-5914. The examiner can normally be reached on 8:30 - 6:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cabeca can be reached on (703) 308-3116. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Roswell
7/26/2004



CAO (KEVIN) NGUYEN
PRIMARY EXAMINER